

QUOTATION

Annawan Alba FPD CAFS Interface Pumper
 Annawan, IL 61234
 Annawan Alba Fire Protection District
 Darley 3272
 309-507-2926
 101 South Main Street

FOB W.S. Darley & Company
 Neal E. Brooks
 National Sales Manager
 Itasca, IL 60143
 815-739-9822
 nealbrooks@darley.com

Quote No: ANNAWAN-0015

Job/Order No: 3272

01/25/2017

Page 1

PART NO	S	DESCRIPTION	QTY	ID
	S	== Administration ==	1	WD
00-00-4100	S	Cover Sheet	1	WD
00-00-6000		> General Information (Darley)	1	WD
		Use Shop Notes to add Dealer info into the specifications. Representative company, name, address, phone, fax, email.		
00-00-9500	S	Darley To Display At Trade Shows	1	WD
00-01-0000		---ADMINISTRATION SECTION---	1	WD
00-01-0700	S	Admin Header	1	WD
00-05-1000		Product Quality And Workmanship	1	WD
00-10-1000		> NFPA Compliance	1	WD
		- Be sure the apparatus quote includes items to make this option valid.		
00-15-0600		> Payment Terms	1	WD
		- Various payment terms. Hit insert to pick options.		
00-38-0300		Delivery Requirements	1	WD
00-42-0500		Pre-Construction Meetings	1	WD
00-45-0500		> (*) Inspection Trips	1	WD
		- Hit "insert" (or right click, add, browse) to choose options.		
00-50-0600		> Drawing Requirements	1	WD
		- Hit insert to choose drawing requirements.		
00-55-0700		Warranty Requirements (Vision Pumper)	1	WD
00-65-0600		Demonstration Requirements	1	WD
00-68-0500		Manual And Data Requirements	1	WD
00-70-0500		Performance Requirements	1	WD
00-80-0500		Chassis Supplied By	1	WD
00-99-2000		Manufacturer Rights	1	WD
		== Freightliner (ALL) - 0.000 ==	1	WD
05-00-0000		---CHASSIS SPECIFICATIONS---	1	WD
05-00-9100	S	Chassis Freightliner M2 106 2017 Four Door Chassis	1	WD
	S	== Chassis Mod ==	1	WD
07-00-0000		---CHASSIS MODIFICATION SECTION---	1	WD
07-00-1000		Chassis Modifications	1	WD
07-00-1100		Tire Pressure Monitoring Systems	1	WD
07-00-3000		Helmet Holders	5	WD
07-02-7150		No Map Compartment Required	1	WD
07-02-8400		Control Console Between Seats W/Book Holder	1	WD
07-07-1200		> SCBA Bracket(s) In Cab Seat(s) - 6.75" Ziamatic	4	WD
		-For use with 30 minute 2216 PSI and 45 minute 4500 PSI bottles. -Enter quantity.		
07-14-6900	S	Brush Guard (With Photo)	1	WD
07-16-1500	S	> Winch - Warn ZEON 10-S Multi-Mount Portable 12 Volt	1	WD
		- A bumper extension with gravel pan must be chosen. - Consult Engineering if a light duty chassis.		

PART NO	S	DESCRIPTION	QTY	ID
07-16-7500	S	> Side Receivers With 12 Volt Be sure to include a winch, either in Chassis Mod, or as a Dealer or Customer furnished item. Darley Engineering needs to know the brand and model of winch (9-26-05).	2	WD
07-16-8000	S	> Rear Receiver With 12 Volt (& Trailer Towing) Be sure to include a winch, either in Chassis Mod, or as a Dealer or Customer furnished item. Darley Engineering needs to know the brand and model of winch (9-26-05).	1	WD
07-24-6700	S	Air Horns (Chassis Provided)	1	WD
07-28-2400		Treadplate Running Boards - 4-Door Cab (Large Commercial)	1	WD
07-30-0500		Battery Switch Provided With Chassis	1	WD
07-31-5400		> Kussmaul PumpPlus #1200 Charger/Compressor - 40 amp output.	1	WD
07-39-0100		No Roof Antennas Required	1	WD
07-39-2400		Install Customer Antennas (2)	1	WD
07-39-5200	S	Install Customer Supplied Radios	1	WD
07-39-8000		12 Volt Outlet on Dash	1	WD
07-40-0500		Clear Cover for Transmission Shift	1	WD
07-52-1000		> Mud Flaps (Front) (2) Front flaps NOT available on Ford F550s (6-19-06).	1	WD
07-52-2000		Mud Flaps w/Logo (Rear) (2)	1	WD
07-60-1500		> Automatic Tire Chains (OnSpot) - Check with Darley Engineering for application approval. - N/A with Neway suspensions.	1	WD
07-90-0500		"General" Back Up Alarm	1	WD
07-95-0500		Identification Data Plate - Drivers Compartment	1	WD
07-95-2000		> Occupant Plate - Drivers Compartment -Desired quantity can be typed into Shop Notes.	1	WD
07-95-4000		> Travel Height & GVWR Label -Required by NFPA. -Specify overall height in shop notes.	1	WD
		== Side HD LDMBC (CAFS) - 0.000 ==	1	WD
09-00-0050		---PUMP, MODULE, AND RELATED ITEMS---	1	WD
09-00-1300	S	--Right-Side Control Module (CAFS)---	1	WD
10-00-2000		LDMBC Side Control Package	1	WD
10-62-9999	U <	Davey 13hp Pump - For Pump & Roll NOTE: Regular maintenance shall be able to be performed without removing the pump. The pump shall be installed in the dunnage area.	1	
11-10-2000	S	Plumbing System - Stainless/Brass	1	WD
12-07-0100		> NO Left Side Aux Inlet Required -At least one aux. inlet needed as standard for NFPA compliance, unless the main intake is gated (md 10-18-07).	1	WD
12-08-1000		> Suction(s) - 2-1/2" Right - Darley (Side Controlled) -Insert quantity in Quantity column.	1	WD
12-13-7100	S	> Rear Suction - 5" (Left Of Rear Compt) (Electric) -NOTE: Change 11-01-2000 primer to one with two controls, and specify second control to be for this inlet (10-27-05). -NOTE: Not available with two tank to pump lines. Check with Darley Engineering.	1	WD
12-15-0855		No Side Direct Fill Required	1	WD
12-18-0500		Tank To Pump 3" (Manual)	1	WD
12-19-2000		Integral Check Valve	1	WD
13-01-2000		> Tank Fill - 2" (Manual) --Provide check valve for China (md 8-17-07).	1	WD

PART NO	S	DESCRIPTION	QTY	ID
14-02-4150	S	> AutoCAFS II - 220 CFM - Complete Kit #3S (Side) -2001 FoamPro Standard - 2002 available -Two (2) 1-1/2" crosslays OR speedlays (CAFS) -One (1) 1-1/2" front trashline (CAFS) -Toggle switch controls -Make sure a foam tank is selected	1	WD
17-34-1200		> Recessed Dunnage Above Pump (One Piece Remove) -Be sure open dunnage is feasible with crosslays, etc.	1	WD
17-41-7010		> Water Level Gauge - FRC Tank Vision - Operator Panel NOTE: Use the heat resistant Setra transducers from FRC to improve gauge accuracy.	1	WD
17-41-7200		> Foam Level Gauge - Fire Research - Tank Vision NOTE: Use the heat resistant Setra transducers from FRC to improve gauge accuracy.	1	WD
17-80-3000		> Air Horn Activation Switch - Pump Panel (RED) Does not include the cost of air horn installation.	1	WD
17-80-4000	U <	Access Rails On Module NOTE: The handrails shall be provided, one each side, at the pump module. See the Darley job drawings.	2	
	S	== Vision Pumper Body ==	1	WD
19-00-3100		> Vision - HD Pumper Body Construction (General) -96" wide body as standard. -Includes Section Header.	1	WD
33-00-2810		> 135-1 VISION PUMPER BODY --High left (full hi depth) - High right (shallow hi depth). --34" wide ahead & 35" wide behind rear wheels. --63" wide over rear wheels. --500 to 750 gallon tank. --Ground ladders enclosed right.	1	WD
37-42-3000	U	> Top Opening Body Compartments Each Side --Consult Darley Engineering for before proposing this option (9-29-05). --Be aware of other options located atop the body (9-29-05). --These are weather resistant compartments - not weather proof (9-29-05).	1	
37-50-2400		> Wheel Well Air Bottle Compts. (4) -Be sure body style accommodates desired quantity.	1	WD
38-00-0200	< >	Unistrut Shelving Tracks (Each Compt) The following compartments shall have unistrut track installed: ---Each body side and rear compartment. -Insert the required quantity. -Detail the locations in Shop Notes.	7	WD
38-02-1000	<	--Adjustable Shelving For Vision (Aluminum) Shelving shall be located as follows: ---To be determined.	7	WD
38-35-0200		NO Compartment/Shelf Flooring Required	1	WD
40-00-0000		---PAINT, STRIPING, AND LETTERING---	1	WD
40-10-2300	S	Paint Finish	1	WD
40-20-8000	S <	Lettering - 22 ct Sign Gold Vinyl - Sixty 4" Letters NOTE: The lettering layout shall be provided by the Fire Department.	1	WD
40-25-0200		> (*) Reflective Striping - Pmpr/Tnkr - Single Axle --Click the "blue box" at far left, or "right click" on this line and then "add"	1	WD

PART NO	S	DESCRIPTION	QTY	ID
		"brouse" for additional options.		
40-26-4100		> Reflective Material On Cab Door Interiors --If not with chassis. If with chassis, use upgrade to change. --Per 2003 edition of NFPA 1901.	1	WD
40-27-8100		Rear Chevron Striping	1	WD
	S	== Electrical ==	1	WD
50-00-0000		---12 VOLT ELECTRICAL SECTION---	1	WD
50-00-0700		> 12V & Multiplex System -Load management system included in multiplexing.	1	WD
50-00-2300		> Master & Warning Light Switches - Cab Console (Commercial) -Commercial chassis.	1	WD
50-01-0200		D.O.T. Running Lights - LED	1	WD
50-01-0800		License Plate Holder & Light	1	WD
50-01-1050		Midship Turn Signal - LED Whelen 52	1	WD
50-02-2100		Tail & Back Up Lights - Whelen 64 LED	1	WD
50-03-0200	S	Step Lights At Rear (One Each Side) LED	1	WD
50-03-0800	S	Step Lights Front Body (One Each Side) LED	1	WD
50-05-4100		Compt LED "Strip" Lighting (ROM) (Roll Doors) HD	1	WD
50-07-0400	S	> Ground Lighting - Four (4) Door Cab (LED) - For commercial chassis or custom chassis that does not offer this option.	1	WD
50-07-1000	S	Ground Lights - Pumper Module & Tailboard (4) LED	1	WD
51-00-1000		Warning Lights (HD Pumper)	1	WD
58-00-0610		Whelen Siren #295SLSA1	1	WD
58-10-0200		> Siren Speaker - Thru Bumper (100W) (Each) -Enter quantity in Quantity column. -Engineering to choose model & brand for best application.	1	WD
58-20-0050		NO "Q" Style Siren (None Required)	1	WD
58-60-1000		Rear Vision Camera	1	WD
58-60-1900	S	Whelen LED Water Level Light Strips (Upper Side Rear)	1	WD
59-10-0005		> (*) 12 VOLT TELESCOPING LIGHTING -Click the "blue box", or hit "insert", or right click then click "add" & "browse" for options.	1	WD
60-00-1100		> (*) 120V Electrical Section (HD Pumpers) --Click the "blue box" at far left, or "right click" on this line and then "add" "brouse" for additional options.	1	WD
	S	== Equipment ==	1	WD
70-00-0050		Equipment to be Supplied	1	WD
70-00-4200		10 ft Duo #701-10 Alum Attic Ladder	1	WD
70-00-7200		12 ft Duo #775-A Alum Roof Ladder	1	WD
70-01-2000		20 ft Duo #900-A Alum 2-Section	1	WD
71-06-6100		Suction Hose - Hard PVC Kochek - 6" x 10' - Storz	2	WD
71-70-0159	S	< > PAC Jumbo Lok 1070 At Pump Module Location to be determined --Minimum of five (5) required.	2	WD
75-01-0500		> Wheel Chocks/Folding - Up To 44" Wheel Fits under body if mounted on folding bracket	1	WD
75-01-1000		Folding Wheel Chock Bracket - Horiz - 44"	1	WD
75-10-2200		Pike Pole - 6 ft Fiberglass I-Beam (Each)	1	WD
75-10-4200		Pike Pole - 10 ft I-Beam Fiberglass (Each)	1	WD
99-99-1000		Purchaser NFPA Responsibility	1	WD