

F550 Crew Cab Medium Duty Rescue-0012

PART NO	S		DESCRIPTION	QTY	ID
00-00-4100	S		Medium Duty Rescue on F550 4WD Crew Cab	1	WD
00-00-6000	S	>	General Info	1	WD
00-00-9500	S		Thank You For Your Consideration	1	WD
00-01-0000			---ADMINISTRATION SECTION---	1	WD
00-01-0700			Administration	1	WD
00-10-0010		>	FAMA Fire Apparatus Safety Guide	1	WD
00-10-1000		>	NFPA Compliance	1	WD
00-15-0600		>	Payment Terms	1	WD
00-16-1500			-- -Darley - Standard Pay Terms	1	WD
00-20-0500			Liability	1	WD
00-20-1000			-- -Darley - Liability Proposal	1	WD
00-38-0300			Delivery Requirements	1	WD
00-39-4200		<	-- -Darley Delivery Days After Contract	1	WD
			The completed apparatus shall be ready for delivery within approximately 330-365 calendar days, following the signing of a contract by the purchaser, and the counter-signing of the same contract by Darley.		
00-39-2200		>	-- -Darley - FOB Chippewa Falls, WI	1	WD
00-42-4000		>	-- - Darley Meeting at Department (DEALER)	1	WD
00-45-0750	S		-- Inspection Trips	1	WD
00-50-0600		>	Drawing Requirements	1	WD
00-50-4000			-- - Darley Apparatus Drawings For Approval	1	WD
00-55-0740			Warranty Requirements (Vision Rescue)	1	WD
00-55-1440			-- Warranty Terms (Vision Rescue)	1	WD
00-60-2200		>	-- - 1YR Darley Apparatus Warranty	1	WD
00-56-0140			-- Body Warranty (Vision Rescue)	1	WD
00-61-7055		>	-- -Darley - Lifetime Limited CoPoly Body Warranty	1	WD
00-62-2550			- Darley 10YR Paint Warranty - Copolymer	1	WD
00-65-0600			Demonstration Requirements	1	WD
00-65-5500		>	-- - Darley Demonstration at Darley	1	WD
00-68-0500			Manual And Data Requirements	1	WD
00-68-4500		>	-- Darley - Document - 2 Construct Detail - 2 Operate Manual	1	WD
00-70-0500			Performance Requirements	1	WD
00-70-2000			-- -Darley - Performance Requirements	1	WD
00-80-0500			Chassis Supplied By	1	WD
00-80-2000			-- - Darley Supplied Chassis	1	WD
00-80-2650		>	-- Chassis Handling	1	WD
00-99-2000			Manufacturer Rights	1	WD
00-99-2500			-- Proposal - Darley Rights	1	WD
05-00-0000			---CHASSIS SECTION---	1	WD
05-05-1750	S	>	Ford F550 Super 4x4 (Crew Cab) Auto Trans (60 CA)	1	WD

07-00-0000		---CHASSIS MODIFICATION SECTION---	1	WD
07-00-1000		Chassis Modifications	1	WD
07-00-1100		Tire Pressure Monitoring Systems	1	WD
07-00-1110		-- Tire Pressure Monitor System LED	1	WD
07-00-1205	>	Vehicle Data Recorder (If Not With Chassis)	1	WD
07-00-1208	>	-- Vehicle Data Recorder Required (N/A Ford/Dodge)	1	WD
07-02-8100	S	Center Console Between Seats (Chassis Provided)	1	WD
07-02-9900	S	Console Modification	1	WD
07-16-2900	S	Bumper Grille Guard	1	WD
07-16-7500	S	> Front Receiver With 12 Volt	1	WD
07-18-3000	S	Hitch - Class IV Receiver - Rear Mounted	1	WD
07-18-6500	>	-- Trailer Wiring - 6-Way Round Plug	1	WD
07-27-0550		Fuel Fill - Side Body - With Stainless Steel Door	1	WD
07-28-2310		Treadplate Running Boards (Four Door F550 Type) NFPA	1	WD
07-30-1000	>	Battery Disconnect Switch (Commercial Cab)	1	WD
07-31-2000		Pro Power Systems SS2 Battery Charger with Indicator.	1	WD
07-31-7700	S <	-- Kussmaul 120V Super Auto-Eject (20 amp)	1	WD
		NOTE: The receptacle shall be located at the front wall of the left side body, at approximate mid height. A mating plug shall be furnished and shipped loose.		
07-39-2100		Install Customer Antenna (1)	1	WD
07-52-2200		Mud Flaps (Small Chassis) (Rear) (2)	1	WD
07-80-0185	>	Exhaust Right Rear Wheels	1	WD
07-90-0500		"General" Back Up Alarm	1	WD
07-95-0500		Identification Data Plate - Drivers Compartment	1	WD
07-95-2000	>	Occupant Plate - Drivers Compartment	1	WD
07-95-4000	>	Travel Height & GVWR Label	1	WD
		== Vision Light Rescue Bodies - 0.000 ==	1	WD
19-00-5510	>	Vision - Light Rescue Body Construction (General)	1	WD
31-03-0100		-- Vision Poly Body Construction (Detailed)	1	WD
31-19-1500		-- Rear Tow Eyes - Frame Mounted (2)	1	WD
31-24-3050		-- Vision Body - Compt Construction	1	WD
31-30-1000		-- Vision Body - Fenders and Liners	1	WD
31-50-0100		-- Vision Body - Fasteners	1	WD
31-51-2010		-- Vision Body - Treadplate & Trim (LT Rescue Body)	1	WD
31-61-1000		-- Tailboard (With Grating)	1	WD
31-70-1150		-- Rubrails - Black Rubber - Vision LT Rescue	1	WD
33-00-6010	>	120-1 (10 ft) VISION MEDIUM DUTY RESCUE BODY	1	WD
31-12-0200		-- Vision Body - Subframe	1	WD
31-31-1000		-- Vision Body - Fenderettes - Anodized Aluminum (Single)	1	WD
33-11-0010	S >	-- Left Side Compartments	1	WD
35-05-0010	S >	-- Left Side Roll Up Doors	1	WD
33-12-0010	S >	-- Right Side Compartments	1	WD
35-05-0010	S >	-- Right Side Roll Up Side Doors	1	WD
33-13-0010	S	-- Rear Compartment	1	WD
35-20-3000	S	-- Rear Roll Up Door	1	WD

35-17-0202			-- Brushed Finish Roll Up Door (Rear)	1 WD
35-90-1180	S		-- Robinson Roll-Up Door Const (Series IV)	1 WD
35-17-0125			-- Painted Roll Up Doors (Job Color) (Side) Wildland	1 WD
37-31-9900	S	<	Mount Three Cascade Bottles (Compt 2 And 5) NOTE: No hoses, valves, or connections shall be supplied or made by Darley.	1 WD
37-31-9905	U	<	Fill Station And Control Panel NOTE: The fill station and control panel shall be mounted in right side rear compartment #6.	1
37-50-3999	S	<	Backboard Storage For Department Backboards NOTE: The transverse area of compartments #1 and #6.	1 WD
37-50-7400	S	<	Air Bottle Panel - Aluminum Vertical (10 Bottle) Slide Out NOTE: The panel shall be mounted in the #2 and #5 transverse compartment area, and be able to slide out of either compartment.	1 WD
38-00-0200		< >	Unistrut Shelving Tracks (Each Compt) The following compartments shall have unistrut track installed: ---Each of the side and rear compartments (not the lower rear utility compartment).	7 WD
38-01-9100		< >	Adjustable Shelving - Aluminum (Each) Shelving shall be located as follows: ---Two (2) in the driver side rear compartment #3.	2 WD
38-25-2200	S	< >	-- Roll-Out Trays 600 lbs - Copolymer (Each) The trays shall be located as follows: ---One (1) on the floor of the transverse area of compartment #1, approximately 45" deep. ---One (1) on the floor of the transverse area of compartment #4, approximately 45" deep.	3 WD
38-32-1200	S	< >	-- Alum Roll Out/Down Trays 600 lb (Each) The trays shall be located as follows: ---One (1) on the floor of compartment #7.	2 WD
40-00-0000			---PAINT, STRIPING, AND LETTERING SECTION---	1 WD
40-10-2100			Paint Finish - Vision LT Rescue	1 WD
40-12-0950	S	>	-- Paint Color - Match Chassis	1 WD
40-13-4000			-- Wheel Rims - As Provided with Chassis	1 WD
40-20-0500	S	>	Lettering And Graphics	1 WD
40-25-0300		>	Reflective Striping - Rescue - Single Axle	1 WD

40-25-1000		-- 4" Reflective Stripe	1	WD
40-25-2000		-- Reflective Stripe Color - WHITE	1	WD
40-25-4200	>	-- Reflective Stripe Design - "Z" - Specified Height	1	WD
40-26-4100	S >	Reflective Material On Cab Door Interiors	1	WD
40-26-4300		-- Reflective Color - WHITE	1	WD
40-27-8100		Rear Chevron Striping	1	WD
40-27-8212		-- Chevron 6" Stripes	1	WD
40-27-8320		-- Chevron Colors - (Red & Flourescent Yellow) Diamond Grad	1	WD
50-00-0000		---12 VOLT ELECTRICAL SECTION---	1	WD
50-00-0720	>	12V & Multiplex System (Small)	1	WD
50-00-2300	< >	Master & Warning Light Switches - Cab Console (Commercial) NOTE: The Department requests that Darley use the six (6) upper switches that Ford supplies, to turn on all of the warning lights and scene lights.	1	WD
50-01-0200		D.O.T. Running Lights - LED	1	WD
50-01-0800		License Plate Holder & Light (LED)	1	WD
50-01-1050		Midship Turn Signal - LED Whelen 52	1	WD
50-02-2100		Tail & Back Up Lights - Whelen 64 LED	1	WD
50-02-5200		-- 4 Light Bezel For Whelen Directionals	1	WD
50-03-0200		Step Lights At Rear (2) LED (One Each Side)	1	WD
50-05-4100		Compt LED "Strip" Lighting (ROM) (Roll Doors)	1	WD
50-05-5100		-- Door Open Switch and Warning Light - Roll Up Doors	1	WD
50-05-5500		-- "Do Not Move Apparatus" Light Driver Compt LED	1	WD
50-07-0400	>	Ground Lighting (4) Four (4) Door Cab (LED)	1	WD
50-07-1150		Ground Lights (4) Body (LED)	1	WD
51-00-4100		Warning Lights (LT Rescue)	1	WD
54-00-7400		-- Whelen - Warning Package LED Lt Rescue	1	WD
54-12-1350		-- Whelen - Light Bar - 60" - F4NOVLED	1	WD
54-20-1000		-- Whelen - Light Bar - Mounted on Cab Roof	1	WD
54-21-1200		-- Whelen - Light Bar Lights - Red/Clear	1	WD
54-30-4075		-- Whelen - Lower A - (2) 400 Series LED - Front Cab or Grille	1	WD
54-32-1000		-- Whelen - Lower Zones A - Color - Red	1	WD
54-40-0465	S	-- Whelen - Lower Zones B & D - TIR3 LED (4)	1	WD
54-42-1000		-- Whelen - Lower Zones B & D - Color - Red	1	WD
54-51-3000	S	-- Whelen - Upper Zones B&D 600 Series LED (4)	1	WD
54-62-3100		-- Whelen - Upper Side Zones B&D - Red	1	WD
54-70-0400		-- Whelen - Lower Zone C - 600 Series LED (2)	1	WD
54-72-1000		-- Whelen - Lower Zones C - Red (2)	1	WD
54-98-0000		-- Whelen - Certificate of Certification	1	WD
54-99-1000	U <	Whelen Front Upper Body Warnings LED (2) NOTE: The lights shall be located, one each side, at the upper front body sides of the apparatus.	1	
57-30-3420		Traffic Advisor - Whelen TAM65 - 36" LED	1	WD
57-32-1000	>	-- Recess Mount Directional Light Bar	1	WD
58-00-0610		Whelen Siren #295SLSA1	1	WD
58-09-1400		-- Mounting Location - Recessed In Center Console	1	WD

58-10-0200		>	Siren Speaker - Thru Bumper (100W) (Each)	1 WD
58-10-9000			-- Siren Speaker - Recessed In Left Side of Bumper	1 WD
58-60-1000	S		Rear Vision Camera (Mount Ford Supplied Camera At Rear)	1 WD
59-00-0100		>	(*) 12 VOLT SCENE LIGHTING	1 WD
59-00-5170		< >	-- Scenelights (2) - Whelen 600 LED - 32 Deg (BODY SIDES)	1 WD
			NOTE: The lights shall be clear.	
			NOTE: The lights shall be mounted, on each side of the upper body, centered.	
59-09-9100			-- Scenelight - Switched in Cab (One Switch)	1 WD
59-10-0005		>	12 Volt Telescoping Lighting	1 WD
59-10-3500		>	-- FRC Evolution 12V LED FCA530-V20 Bottom Raise Telelight(2 WD
65-90-0500			-- Located On Apparatus Rear	2 WD
65-92-2600	S	>	-- Remote Light Switch - In Cab	2 WD
70-00-0050			Equipment to be Supplied	1 WD
99-99-1000			Purchaser NFPA Responsibility	1 WD