

DIESEL PUMPS UNDER 66 HP | TIER 4 | DOMESTIC

STA020	1-1/4 AGE 10YD, High Pressure, Low Volume, Engine Mounted, with 1-1/2" NPT suction	\$ 8,770.00
STA021	1-1/4 AGE 10YD, High Pressure, Low Volume, Engine Mounted, with 1-1/2" NPT suction. Electric Start	\$ 10,330.00
STA055	1-1/2 AGE 10YD, High Pressure, Low Volume, Engine Mounted, Recoil Rope Start	\$ 8,770.00
STA056	1-1/2 AGE 10YD, High Pressure, Low Volume, Engine Mounted, Electric Start	\$ 10,330.00
PART	DESCRIPTION	UNIT PRICE
	Engine: Yanmar Diesel L100W, 10HP, 1 cylinder 4 cycle electric start with recoil backup Aluminum alloy casing and discharge valve Aluminum alloy gear case and engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Heat treated alloy steel helical gears Ball bearing construction Built-in discharge check valve Adjustable discharge valve Adjustable throttle 2" NPTF suction 2-1/2" NPTF discharge	
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
KC01506	2-1/2" NHM male x 2" NPTM- suction adapter kit w/screen	\$151.00
KC01524	2-1/2" NH male x 1-1/2" NPT male suction adapter with screen	\$135.00
AP00302	Hand Primer with Bracket (Shipped Loose)	\$1,210.00
2605078	Battery - 12V, 265CCA, Dry -Truck Freight Only	\$279.00
AF00602	Wrap around frame	\$600.00
4418100	Canvas pump cover for roll frame	\$514.00
PAINT ADDER	Paint for 1-1/2AGE, AG, AGH (black anodized is standard)	\$157.00
NO-DIS-HEAD	Credit for Discharge Head	(\$113.00)
NO-EX-PRIMER	Credit for Exhaust Primer	(\$170.00)
FP00386	2BE 10YDW Medium Pressure, High Volume, Engine Mounted Pump. Civilian	\$8,770.00
	Engine: Yanmar Diesel L100W, 10HP, 1 cylinder 4 cycle electric start with recoil backup Top mount panel includes pull twist throttle handle, key, start/stop, hour meter light, roll cage	
1001600	2-1/2" plastic cap	\$27.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
KC01503	2-1/2" NHM male x 3" NPTF suction adapter kit with screen	\$271.00
1001900	3" NH plastic cap	\$30.00
AC00601	Control panel – (remote mounted)	\$619.46
AP00950	12 volt primer assembly, fluid-type (shipped loose)	\$1,620.00
AP02304	Guzzle hand primer	\$128.00
2605078	Battery - 12V, 265CCA, Dry -Truck Freight Only	\$279.00
2605078	Battery - 12V, 265CCA, Dry -Truck Freight Only	\$279.00
AP02305		\$325.00
ANODIZED ADDER 1.5AGE	Hard anodized 1-1/2AGE pump with 316 stainless shaft for salt water	\$774.00

10 HP | DIESEL PUMPS UNDER 66 HP | TIER 4 | DOMESTIC

STB002	2BE 10YD, Medium Pressure, High Volume, Engine Mounted, Recoil Rope Start	\$ 9,350.00
PART	DESCRIPTION	UNIT PRICE
	Engine: Yanmar Diesel L100* 10 HP, 1 cylinder, 4 cycle, recoil rope start, fuel pump Anodized aluminum alloy casing Discharge head Engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Shredded plastallic packing Discharge check valve Adjustable discharge valve Exhaust primer Throttle 3" NPTF suction 1 – 2-1/2" NPTF or 2 – 1-1/2" NPTF discharge	
STB003	12 volt Electric Start with Alternator	\$ 10,430.00
STB032	2BE 10YDN Navy P-100	\$ 14,910.00
	Standard Equipment: Includes roll cage, pressure gauge marinization, adapters, caps & chains (2) - 10' x 4" exhaust hoses, Manual start only	
STB022	Navy P-100 without Exhaust Hose	\$ 12,350.00
STB022	Navy P-100 without Exhaust Hose	\$12,350.00
1000901	1-1/2" NH chrome plated cap	\$49.00
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
1001600	2-1/2" plastic cap	\$27.00
1001900	3" NH plastic cap	\$30.00
KC01505	3" NHM male x 3" NPTM suction- adapter kit with screen	\$151.00
YC00400	3" NH chrome plated cap	\$194.00
2603026	Duplex Press Gauge, 30-200 PSI 2-1/2" diameter Side Mount	\$87.00
2605078	Battery - 12V, 265CCA, Dry -Truck Freight Only	\$279.00
4402311	10' x 4" SS exhaust hose with- couplings – Rated to 1000F	\$1,600.00
4418100	Canvas pump cover for roll frame	\$514.00
AC00601	Control panel – (remote mounted)	\$619.46
AF00602	Wrap around frame	\$600.00
AF00604	Skid base	\$439.00
AP00302	Hand Primer with Bracket (Shipped Loose)	\$1,210.00
AP00950	12 volt primer assembly, fluid-type (shipped loose)	\$1,620.00
AP00951	24 volt primer assembly, fluid- type (shipped loose)	\$1,620.00
AP00960	12 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
AP00961	24 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
AP02304	Guzzle hand primer	\$128.00
NO-DIS-HEAD	Credit for Discharge Head	-\$113.00
NO-EX-PRIMER	Credit for Exhaust Primer	-\$170.00

24 HP | DIESEL PUMPS UNDER 66 HP | TIER 4 | DOMESTIC

STA213	1-1/2 AGE 24K - Standard Impeller with 2.70 gear ratio and Digitrol controls	\$16,420.00
--------	--	-------------

STA214	1-1/2 AGE 24K - High Pressure Impeller with 3.17 gear ratio and Digitrol controls	\$16,420.00
--------	---	-------------

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota D902, diesel engine Liquid cooled, 12 volt starter, 40 amp alternator, fuel and oil pump and filters Hard anodized alum alloy casing & discharge valve Sulfuric anodized alum alloy gear case & engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Heat treated alloy steel helical gears Ball bearing construction Built-in discharge check valve Engine control panel shipped loose with 10' harness Digitrol Panel to include Hour meter, Oil PSI, Tachometer, Engine Coolant Temperature, Volt Meter, Overridable engine Shutdowns and Digital Pressure gauge Adjustable discharge valve Electronic throttle 2" NPTF suction 2 – 1-1/2" NPTF or 1 – 2-1/2" NPTF discharge	
1000901	1-1/2" NH chrome plated cap	\$49.00
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
KC01506	2-1/2" NHM male x 2" NPTM- suction adapter kit w/screen	\$151.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
AP01700	12 volt primer assembly fluidless-with push button switch (loose)	\$1,670.00
2605078	Battery - 12V, 265CCA, Dry -Truck Freight Only	\$279.00
4209818	Remote oil filter and drainkit	\$519.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
AP02304	Guzzle hand primer	\$128.00
4221952	Single Digitrol control with pressure governor with loss of water protection	\$926.10
AC02400	Dual Digitrol controls with pressure governor and loss of water	\$4,740.00
AC02400	Dual Digitrol panels with 20' harness	\$4,740.00
KE00512	Spark arrester	\$201.68
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
PAINT ADDER	Paint for 1-1/2AGE, AG, AGH (black anodized is standard)	\$157.00
NO-DIS-HEAD	Credit for Discharge Head	-\$113.00

24 HP | DIESEL PUMPS UNDER 66 HP | TIER 4 | DOMESTIC

2-1/2 AGE 24K - Medium Pressure, Medium Volume, Gear

STA200

Driven, Engine Mounted with Digitrol controls

\$ 15,680.00

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota DH902, diesel engine, 24 HP, 3 cylinder, 4 cycle, liquid cooled, 12 volt starter, 40 amp alternator, fuel and oil pump and filters Hard anodized alum alloy casing & discharge valve Sulfuric anodized aluminum alloy gear case and plated engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Heat treated alloy steel helical gears Ball bearing construction Built-in discharge check valve Engine control panel shipped loose Adjustable discharge valve Adjustable throttle 2-1/2" NPTF suction 2 – 1-1/2" NPTF and 1 – 2-1/2" NPTF discharge or 1 – 2-1/2" NPTF	
1000901	1-1/2" NH chrome plated cap	\$49.00
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
KC01506	2-1/2" NHM male x 2" NPTM- suction adapter kit w/screen	\$151.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
2603035	Discharge pressure gauge (shipped loose)	\$77.00
AP01700	12 volt primer assembly fluidless with push button switch (loose)	\$1,670.00
2605078	Battery - 12V, 265CCA, Dry -Truck Freight Only	\$279.00
4227300	Gauge - Air filter restriction indicator	\$247.00
4221952	Single Digitrol control with pressure governor with loss of water protection	\$926.10
AC02400	Dual Digitrol controls with pressure governor and loss of water	\$4,740.00
AC02401	Dual Digitrol panels with 20' harness	\$4,020.00
AP00960	12 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
AP02304	Guzzle hand primer	\$128.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
PAINT ADDER	Paint for 1-1/2AGE, AG, AGH (black anodized is standard)	\$157.00
NO-DIS-HEAD	Credit for Discharge Head	(\$113.00)

24 HP | DIESEL PUMPS UNDER 66 HP | TIER 4 | DOMESTIC

STB028	2BE 24K - Medium Pressure, High Volume, Gear Driven, Engine Mounted / With Digitrol controls	\$ 15,170.00
--------	---	--------------

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota D902, diesel engine, 24 HP, 3 cylinder, 4 cycle, liquid cooled, 12 volt starter, 40 amp alternator fuel and oil pump and filters Hard anodized alum alloy casing & discharge valve Sulfuric anodized aluminum alloy gear case and plated engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Heat treated alloy steel helical gears Ball bearing construction Built-in discharge check valve Engine control panel shipped loose Adjustable discharge valve Adjustable throttle 3" NPTF suction 1 – 2-1/2" NPTF and 2 – 1-1/2" NPTF discharge	
1000901	1-1/2" NH chrome plated cap	\$49.00
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
KC01506	2-1/2" NHM male x 2" NPTM- suction adapter kit w/screen	\$151.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
AP01700	12 volt primer assembly fluidless-with push button switch (loose)	\$1,670.00
2603035	Discharge pressure gauge (shipped loose)	\$77.00
2605078	Battery - 12V, 265CCA, Dry -Truck Freight Only	\$279.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
AC00169	Single electric throttle	\$848.00
4221952	Single Digitrol control with pressure governor with loss of water protection	\$926.10
AC02400	Dual Digitrol controls with pressure governor and loss of water	\$4,740.00
AC02401	Dual Digitrol panels with 20' harness	\$4,020.00
AP02304	Guzzle hand primer	\$128.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
KE00512	Spark arrester	\$201.68
PAINT ADDER	Paint for 1-1/2AGE, AG, AGH (black anodized is standard)	\$157.00
NO-DIS-HEAD	Credit for Discharge Head	(\$113.00)

48 HP | DIESEL PUMPS UNDER 66 HP | TIER 4 | DOMESTIC

STA051	1-1/2 AGE 48K - Standard Impeller with 3.76 gear ratio and Digitrol controls	\$20,720.00
STA052	1-1/2 AGE 48K - High Pressure Impeller with 4.00 gear ratio and Digitrol controls	\$20,720.00
PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota D1803, turbo diesel, liquid cooled 12 volt starter, 40 amp alternator fuel & oil pump and filters Hard anodized aluminum alloy casing Sulfuric anodized aluminum alloy gear case and engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical Seal Heat treated alloy steel helical gears Ball bearing construction Adjustable discharge check valve Digitrol Panel to include hour meter, Oil PSI, Tachometer, Engine coolant temperature Volt Meter, Overridable engine Shutdowns and Digital Pressure gauge 2" NPTF suction 2 - 1-1/2" NPT or 1 - 2-1/2" NPTF discharge	
1000901	1-1/2" NH chrome plated cap	\$49.00
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
KC01506	2-1/2" NHM male x 2" NPTM- suction adapter kit w/screen	\$151.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
AP01700	12 volt primer assembly fluidless-with push button switch (loose)	\$1,670.00
4209823	Remote oil filter and drainkit	\$519.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
DIGITROL +	Single Digitrol control with pressure governor with loss of water protection	\$926.00
AC02400	Dual Digitrol controls with pressure governor and loss of water	\$4,740.00
AC02401	Dual Digitrol panels with 20' harness	\$4,020.00
AN00902	Assy - Loss of water protection	\$347.00
AP02304	Guzzle hand primer	\$128.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
PAINT ADDER	Paint for 1-1/2AGE, AG, AGH (black anodized is standard)	\$157.00
NO-DIS-HEAD	Credit for Discharge Head	(\$113.00)

48 HP | DIESEL PUMPS UNDER 66 HP | TIER 4 | DOMESTIC

STA053	2-1/2 AGE 48K - High Pressure, High Volume, Gear Driven, Engine Mounted, with Digitrol contols	\$ 21,200.00
--------	--	--------------

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota D1803T, turbo diesel, liquid cooled 12 volt starter, 40 amp alternator fuel & oil pump and filters Hard anodized aluminum alloy casing Sulfuric anodized aluminum alloy casing and engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Heat treated alloy steel helical gears Ball bearing construction Adjustable discharge check valve Digitrol Panel to include hour meter, Oil PSI, Tachometer, Engine coolant temperature Volt Meter, Overridable engine Shutdowns and Digital Pressure gauge 2 1/2" NPTF suction 2 - 1-1/2" NPTF or 1 - 2-1/2" NPTF discharge	
1000901	1-1/2" NH chrome plated cap	\$49.00
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
KC01507	2-1/2" NHM male x 2-1/2" NPTM suction adapter kit w/screen	\$151.00
VB00102	2 -1/2" 1/4 turn self-lockingball valve (each)	\$833.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
AP01700	12 volt primer assembly fluidless-with push button switch (loose)	\$1,670.00
VB00102	2 -1/2" 1/4 turn self-lockingball valve (each)	\$833.00
4209823	Remote oil filter drain kit	\$519.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
DIGITROL +	Single Digitrol control with pressure governor with loss of water protection	\$926.00
AC02400	Dual Digitrol controls with pressure governor and loss of water	\$4,740.00
AC02401	Dual Digitrol panels with 20' harness	\$4,020.00
AM00502	Battery kit (gas or small diesel)	\$495.00
AP02304	Guzzle hand primer	\$128.00
HH00212	Discharge head with up to (3)3" flanged openings or -for use with 1/4 turn ball valve	\$700.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
NO-DIS-HEAD	Credit for Discharge Head	(\$113.00)

48 HP | DIESEL PUMPS UNDER 66 HP | TIER 4 | DOMESTIC

STH001	HE 48K - Medium Pressure, High Volume, Gear Driven, Engine Mounted, with Digitrol controls	\$ 21,060.00
--------	---	--------------

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota D1803T, turbo diesel, liquid cooled 12 volt starter, 40 amp alternator fuel & oil pump and filters Hard anodized aluminum alloy casing Sulfuric anodized aluminum alloy casing and engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Heat treated alloy steel helical gears Ball bearing constructions Adjustable discharge check valve Digitrol Panel to include hour meter, oil, PSI, Tachometer, Engine coolant temperature Volt Meter, Overridable engine Shutdowns and Digital Pressure gauge Complete with: 4" NPTF suction 3" NPTF discharge	
YC00047	2-1/2 NH chrome plated cap	\$54.00
YC00610	4" NH chrome plated cap with short handles for portable pump	\$314.87
2803508	4" NPT suction head with 3 flange openings	\$849.00
1601000	4-1/2" NH male x 4" NH- female adapter	\$540.00
YC00100	4-1/2" NH chrome plated cap	\$345.00
YC01000	5" NH chrome plated cap	\$315.00
AP01700	Fluidless Primer- (loose)- with push button switch12v primer assembly fluidless	\$1,670.00
4209823	Remote oil filter and drainkit	\$519.00
4222600	30 gal. diesel fuel tank	\$1,340.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
DIGITROL +	Single Digitrol control with pressure governor with loss of water protection	\$926.00
AC02400	Dual Digitrol controls with pressure governor and loss of water	\$4,740.00
AC02401	Dual Digitrol panels with 20' harness	\$4,020.00
AM00502	Battery kit (gas or small diesel)	\$495.00
AP02304	Guzzle hand primer	\$128.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
HH00209	Discharge head with up to (3) 3" NPTF openings - Anodized	\$603.00
VB00102	2 1/2" 1/4 turn self-locking ball valve - each	\$833.00

65 HP | DIESEL PUMPS UNDER 66 HP | TIER 4 | DOMESTIC

STA057	2-1/2 AGE 65K - High Pressure, High Volume, Gear Driven, Engine Mounted, with Digitrol controls	\$ 21,460.00
---------------	--	---------------------

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota V2403T, 65HP, turbo, 4 cylinder diesel engine, liquid cooled, 12 volt starter 40 amp alternator, fuel and oil pump and filters Hard anodized aluminum alloy casing & discharge valve Sulfuric anodized aluminum alloy casing and plated engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Helical gears Ball bearing construction Built-in discharge check valve Adjustable discharge check valve Throttle Digitrol Panel to include hour meter, Oil PSI, Tachometer, Engine coolant temperature Volt Meter, Overridable engine Shutdowns and Digital Pressure gauge 1 - 2-1/2" NPT suction inlet 1 - 2-1/2" NPT and 2 - 1-1/2" NPT discharge outlets or 1 - 2-1/2" NPT	
1000901	1-1/2" NH chrome plated cap	\$49.00
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
KC01507	2-1/2" NHM male x 2-1/2" NPTM suction adapter kit w/screen	\$151.00
VB00102	2 -1/2" 1/4 turn self-locking ball valve (each)	\$833.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
AP01700	12 volt primer assembly fluidless-with push button switch (loose)	\$1,670.00
4209823	Remote oil filter drain kit	\$519.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
DIGITROL +	Single Digitrol control with pressure governor with loss of water protection	\$926.00
AC02400	Dual Digitrol controls with pressure governor and loss of water	\$4,740.00
AC02401	Dual Digitrol panels with 20' harness	\$4,020.00
AM00502	Battery kit (gas or small diesel)	\$495.00
HH00212	Discharge head with up to (3)3" flanged openings or for use with 1/4 turn ball valve	\$700.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
VB00102	2 -1/2" 1/4 turn self-lockingball valve (each)	\$833.00
NO-DIS-HEAD	Credit for Discharge Head	(\$113.00)

65 HP | DIESEL PUMPS UNDER 66 HP | TIER 4 | DOMESTIC

STH003	HE 65K Assembly - Medium Pressure, High Volume, Gear Driven, Engine Mounted, with Digitrol controls	\$ 29,320.00
--------	---	--------------

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota V2403T, 65HP, turbo, 4 cylinder 4 cycle, Liquid cooled electric start flywheel alternator, fuel & oil pump and filters Cast iron casing Bronze impeller and seal ring Stainless steel impeller shaft Mechanical seal Digitrol Panel to include hour meter, Oil PSI, Tachometer, Engine coolant temperature Volt Meter, Overridable engine Shutdowns and Digital Pressure gauge Adjustable throttle Built-in discharge check valve Complete with: 4" NPTF suction 3" NPTF discharge	
YC00047	2-1/2 NH chrome plated cap	\$54.00
YC00610	4" NH chrome plated cap with short handles for portable pump	\$314.87
2803508	4" NPT suction head with 3 flange openings	\$849.00
1601000	4-1/2" NH male x 4" NH- female adapter	\$540.00
YC00100	4-1/2" NH chrome plated cap	\$345.00
YC01000	5" NH chrome plated cap	\$315.00
AP01700	12 volt primer assembly fluidless-with push button switch (loose)	\$1,670.00
4209823	Remote oil filter drain kit	\$519.00
4222600	30 gal. diesel fuel tank	\$1,340.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
DIGITROL +	Single Digitrol control with pressure governor with loss of water protection	\$926.00
AC02400	Dual Digitrol controls with pressure governor and loss of water	\$4,740.00
AC02401	Dual Digitrol panels with 20' harness	\$4,020.00
AM00502	Battery kit (gas or small diesel)	\$495.00
AP02304	Guzzle hand primer	\$128.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
HH00209	Discharge head with up to (3) 3" NPTF openings - Anodized	\$603.00
VB00102	2 1/2" 1/4 turn self-locking ball valve - each	\$833.00

65 HP | DIESEL PUMPS UNDER 66 HP | TIER 4 | DOMESTIC

STH215	HSE 65K Medium Pressure, High Volume, Gear Driven, Engine Mounted, with Digitrol controls	\$ 29,780.00
---------------	--	---------------------

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota V2403T, 65HP, turbo, 4 cylinder 4 cycle, Liquid cooled electric start flywheel alternator, fuel & oil pump and filters Cast iron casing Bronze impeller and seal ring Stainless steel impeller shaft Mechanical seal Digitrol Panel to include hour meter, Oil PSI, Tachometer, Engine coolant temperature Volt Meter, Overridable engine Shutdowns and Digital Pressure gauge Adjustable throttle Built-in discharge check valve 4" NPTF suction 3" NPTF discharge	
5200100	3/4" valve drain with nipple -Installed	\$108.00
VB00102	2 -1/2" 1/4 turn self-lockingball valve (each)	\$833.00
VR00707	3" Relief valve with 2-1/2" NPT inlet and outlet - 12 volt (shipped loose) with remote pilot	\$2,110.00
VR00708	3" Relief valve with 2-1/2" NPT inlet and outlet – 24 volt (shipped loose) with remote pilot	\$2,140.00
2803508	4" NPT suction head with 3 flange openings	\$849.00
KC01500	4" NHM x 4" NPTF brass suction- adapter kit with screen	\$300.00
KC04163	4" Victaulic suction	\$495.00
YC00600	4" NH chrome plated cap	\$312.00
AP01700	12 volt primer assembly fluidless with push button switch (loose)	\$1,670.00
4209823	Remote oil filter drain kit	\$519.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
DIGITROL +	Single Digitrol control with pressure governor with loss of water protection	\$926.00
AC02400	Dual Digitrol controls with pressure governor and loss of water	\$4,740.00
AC02401	Dual Digitrol panels with 20' harness	\$4,020.00
AP02304	Guzzle hand primer	\$128.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00

39 HP | DIESEL PUMPS UNDER 66 HP | TIER 3 | EXPORT ONLY

STA029	1-1/2 AGE 39K - High Pressure High Volume, Gear Driven, Engine Mounted	\$ 16,410.00
PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota V1505, diesel, 39 HP, liquid cooled 12 volt starter, 40 amp alternator fuel and oil pump and filters Hard anodized aluminum alloy casing & discharge valve Sulfuric anodized aluminum alloy gear case and engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Heat treated alloy steel helical gears Ball bearing construction Built-in discharge check valve Adjustable discharge valve Adjustable throttle Engine Control panel shipped loose 2" NPT suction 2 - 1-1/2" NPT or 1 - 2-1/2" NPT discharge	
1000901	1-1/2" NH chrome plated cap	\$49.00
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
KC01506	2-1/2" NHM male x 2" NPTM- suction adapter kit w/screen	\$151.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
4227207	10' extension harness	\$466.00
2603035	Discharge pressure gauge (shipped loose)	\$77.00
2605078	Battery - 12V, 265CCA, Dry -Truck Freight Only	\$279.00
4209818	Remote oil filter and drainkit	\$519.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
AC00169	Single electric throttle	\$848.00
AC00172	Dual vernier throttle - 15' and 20'	\$312.00
AC00176	Dual electric throttle	\$1,090.00
AC02201	Dual LOFA panels	\$4,720.00
AN00902	Assy - Loss of water protection	\$347.00
AP00302	Hand Primer with Bracket (Shipped Loose)	\$1,210.00
AP00960	12 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
AP02304	Guzzle hand primer	\$128.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
KC01506	2-1/2" NHM male x 2" NPTM- suction adapter kit w/screen	\$151.00
PAINT ADDER	Paint for 1-1/2AGE, AG, AGH (black anodized is standard)	\$157.00
NO-DIS-HEAD	Credit for Discharge Head	(\$113.00)

Note: Standard panel will come with 6' vernier throttle and 10' harness standard

39 HP | DIESEL PUMPS UNDER 66 HP | TIER 3 | EXPORT ONLY

STA201	2-1/2 AGE 39K - High Pressure, High Volume, Gear Driven, Engine Mounted	\$ 16,400.00
---------------	--	---------------------

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota V1505, diesel, 39 HP, liquid cooled 12 volt starter, 40 amp alternator, fuel and oil pump and filters Hard anodized aluminum alloy casing & discharge valve Sulfuric anodized aluminum alloy gear case and engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Heat treated alloy steel helical gears Ball bearing construction Built-in discharge check valve Adjustable discharge valve Adjustable throttle Engine Control panel shipped loose 2" NPT suction 2-1-1/2" NPT and 1-2-1/2" NPT discharge or 1-2-1/2" NPT	
1000901	1-1/2" NH chrome plated cap	\$49.00
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
KC01506	2-1/2" NHM male x 2" NPTM- suction adapter kit w/screen	\$151.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
4227207	10' extension harness	\$466.00
2603035	Discharge pressure gauge (shipped loose)	\$77.00
2605078	Battery - 12V, 265CCA, Dry -Truck Freight Only	\$279.00
4209818	Remote oil filter and drainkit	\$519.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
AC00169	Single electric throttle	\$848.00
AC00172	Dual vernier throttle - 15' and 20'	\$312.00
AC00176	Dual electric throttle	\$1,090.00
AC02201	Dual LOFA panels	\$4,720.00
AN00902	Assy - Loss of water protection	\$347.00
AP00302	Hand Primer with Bracket (Shipped Loose)	\$1,210.00
AP00960	12 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
AP02304	Guzzle hand primer	\$128.00
KE00512	Spark arrester	\$201.68
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
PAINT ADDER	Paint for 1-1/2AGE, AG, AGH (black anodized is standard)	\$157.00
NO-DIS-HEAD	Credit for Discharge Head	\$ (113.00)

Note: Standard panel will come with 6' vernier
throttle and 10' harness standard

39 HP | DIESEL PUMPS UNDER 66 HP | TIER 3 | EXPORT ONLY

STA209	1-1/2 AGE 39K - High Pressure, Low Volume, Gear Driven, Engine Mounted	\$ 16,400.00
--------	---	--------------

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota V1505, diesel, 39 HP, liquid cooled 12 volt starter, 40 amp alternator fuel & oil pump filters Hard anodized aluminum alloy casing & discharge valve Sulfuric anodized aluminum alloy gear case and engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Heat treated alloy steel helical gears Ball bearing construction Built-in discharge check valve Adjustable discharge valve Adjustable throttle Engine Control panel shipped loose 2" NPT suction 2 - 1-1/2" NPT or 1 - 2-1/2" NPT discharge	
1000901	1-1/2" NH chrome plated cap	\$49.00
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
KC01506	2-1/2" NHM male x 2" NPTM- suction adapter kit w/screen	\$151.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
2603035	Discharge pressure gauge (shipped loose)	\$77.00
2605078	Battery - 12V, 265CCA, Dry -Truck Freight Only	\$279.00
4209818	Remote oil filter and drainkit	\$519.00
4227207	10' extension harness	\$466.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
AC00169	Single electric throttle	\$848.00
AC00172	Dual vernier throttle - 15' and 20'	\$312.00
AC00176	Dual electric throttle	\$1,090.00
AC02201	Dual LOFA panels	\$4,720.00
AN00902	Assy - Loss of water protection	\$347.00
AP00302	Hand Primer with Bracket (Shipped Loose)	\$1,210.00
AP00960	12 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
AP02304	Guzzle hand primer	\$128.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
KE00512	Spark arrester	\$201.68
PAINT ADDER	Paint for 1-1/2AGE, AG, AGH (black anodized is standard)	\$157.00
NO-DIS-HEAD	Credit for Discharge Head	(\$113.00)

Note: Standard panel will come with 6' vernier throttle and 10' harness standard

42 HP | DIESEL PUMPS UNDER 66 HP | TIER 3 | EXPORT ONLY

STA084	1-1/2 AGE 42K - High Pressure, High Volume, Gear Driven, Engine Mounted	\$ 16,760.00
---------------	--	---------------------

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota V1505T, turbo diesel, liquid cooled 12 volt starter, 40 amp alternator fuel & oil pump and filters Hard anodized aluminum alloy casing & discharge valve Sulfuric anodized aluminum alloy gear case and engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Heat treated alloy steel helical gears Ball bearing construction Built-in discharge check valve Adjustable discharge valve Adjustable throttle Engine control panel shipped loose 2" NPT suction 2 - 1-1/2" NPT or 1 - 2-1/2" NPT discharge	
1000901	1-1/2" NH chrome plated cap	\$49.00
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
KC01506	2-1/2" NHM male x 2" NPTM- suction adapter kit w/screen	\$151.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
4209818	Remote oil filter and drainkit	\$519.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
AC00169	Single electric throttle	\$848.00
AC00172	Dual vernier throttle - 15' and 20'	\$312.00
AC00176	Dual electric throttle	\$1,090.00
AC02201	Dual LOFA panels	\$4,720.00
AM00502	Battery kit (gas or small diesel)	\$495.00
AN00902	Assy - Loss of water protection	\$347.00
AP00302	Hand Primer with Bracket (Shipped Loose)	\$1,210.00
AP00960	12 volt primer assembly, fluid less (shipped loose)	\$1,620.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
PAINT ADDER	Paint for 1-1/2AGE, AG, AGH (black anodized is standard)	\$157.00
NO-DIS-HEAD	Credit for Discharge Head	(\$113.00)

Note: Standard panel will come with 6' vernier
throttle and 10' harness standard

42 HP | DIESEL PUMPS UNDER 66 HP | TIER 3 | EXPORT ONLY

STA203	2-1/2 AGE 42K - High Pressure, High Volume, Gear Driven, Engine Mounted	\$ 16,750.00
--------	--	--------------

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota V1505T, 42 HP, turbo, 4 cylinder diesel engine, liquid cooled, 12 volt starter 40 amp alternator, fuel and oil pump and filters Hard anodized aluminum alloy casing & discharge valve Sulfuric anodized aluminum alloy gear case and plated engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Helical gears Ball bearing construction Built-in discharge check valve Adjustable discharge valve Throttle Engine control panel shipped loose 1 – 2-1/2" NPT suction inlet 1 – 2-1/2" NPT and 2 – 1-1/2"NPT discharge outlets or 1 – 2-1/2" NPT	
1000901	1-1/2" NH chrome plated cap	\$49.00
1602200	1-1/2" NH hose adapter (1-1/2"NPTM x 1-1/2" NHM)	\$51.00
1602400	2-1/2" NPTM x 2-1/2" NHM adapter	\$90.00
KC01507	2-1/2" NHM male x 2-1/2" NPTM suction adapter kit w/screen	\$151.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
VB00102	2 -1/2" 1/4 turn self-lockingball valve (each)	\$833.00
4209819	Remote oil filter drain kit	\$518.62
4227300	Gauge - Air filter restriction- indicator	\$247.00
AC00169	Single electric throttle	\$848.00
AC00172	Dual vernier throttle - 15' and 20'	\$312.00
AC00176	Dual electric throttle	\$1,090.00
AC02201	Dual LOFA panels	\$4,720.00
AM00502	Battery kit (gas or small diesel)	\$495.00
AN00902	Assy - Loss of water protection	\$347.00
AP00302	Hand Primer with Bracket (Shipped Loose)	\$1,210.00
AP00313	Hand primer - Mounted	\$1,020.00
AP00960	12 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
HH00212	Discharge head with up to (3)3" flanged openings or -for use with 1/4 turn ball -valve	\$700.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00
NO-DIS-HEAD	Credit for Discharge Head	(\$113.00)

Note: Standard panel will come with 6' vernier
throttle and 10' harness standard

42 HP | DIESEL PUMPS UNDER 66 HP | TIER 3 | EXPORT ONLY

STH205	HGE 42K Assembly #3 - Medium Pressure, High Volume, Gear Driven, Engine Mounted	\$ 17,630.00
PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota V1505T, 42 HP, Turbo, 4 cylinder 4 cycle, Liquid cooled electric start flywheel alternator, fuel & oil pump and filters Cast iron casing Bronze impeller and seal ring Stainless steel impeller shaft Mechanical seal Engine control panel shipped loose throttle control, engine warning lights & start/stop Adjustable throttle Built-in discharge check valve 2 – 2-1/2" NH, 1/4 turn, ball, self- locking all bronze valves 4" NH male inlet and screen	
STH204	HGE 42K Assembly #2- Medium Pressure, High Volume, Gear Driven, Engine Mounted	\$ 17,440.00
	Complete with: (1) 2-1/2" and (2) 1-1/2" NPTF or (1) 2-1/2" NPTF discharge head with check valve 4" NH male inlet and screen	
STH108	HE 42K Assembly #1 - Medium Pressure, High Volume, Gear Driven, Engine Mounted	\$ 16,750.00
	Complete with: 3" NPT outlet 4" NPT inlet	
YC00047	2-1/2 NH chrome plated cap	\$54.00
YC00610	4" NH chrome plated cap with short handles for portable pump	\$314.87
2803508	4" NPT suction head with 3 flange openings	\$849.00
1601000	4-1/2" NH male x 4" NH- female adapter	\$540.00
YC00100	4-1/2" NH chrome plated cap	\$345.00
YC01000	5" NH chrome plated cap	\$315.00
4209818	Remote oil filter and drainkit	\$519.00
4222600	30 gal. diesel fuel tank	\$1,340.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
AC00169	Single electric throttle	\$848.00
AC00172	Dual vernier throttle - 15' and 20'	\$312.00
AC00176	Dual electric throttle	\$1,090.00
AC02201	Dual LOFA panels	\$4,720.00
AM00502	Battery kit (gas or small diesel)	\$495.00
AN00902	Assy - Loss of water protection	\$347.00
AP00302	Hand Primer with Bracket (Shipped Loose)	\$1,210.00
AP00310	Hand primer - Mounted	\$1,020.00
AP00950	12 volt primer assembly, fluid-type (shipped loose)	\$1,620.00
AP00951	24 volt primer assembly, fluid- type (shipped loose)	\$1,620.00
AP00960	12 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
AP00961	24 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
AP02304	Guzzle hand primer	\$128.00
KE00702	Diesel fuel tank, hose and adapter – 6 gal. steel	\$583.00

Note: Standard panel will come with 6' vernier throttle and 10' harness standard

57 HP | DIESEL PUMPS UNDER 66 HP | TIER 3 | EXPORT ONLY

STA047	2-1/2 AGE 250DTZ - Single Stage, Engine Driven, Centrifugal Pump	\$ 20,560.00
---------------	---	---------------------

PART	DESCRIPTION	UNIT PRICE
	Engine: Deutz D914L03 diesel engine, 57 HP air cooled, 12 volt electric starter, alternator 700 lbs. (317.5 Kg) Hard anodized aluminum alloy casing Sulfuric anodized aluminum alloy gear case and engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Mechanical seal Heat treated alloy steel helical gears Ball bearing construction Heavy duty air cleaner Engine control panel shipped loose Tachometer Hour meter Oil pressure gauge Engine temperature gauge Start/stop key switch Throttle Muffler 2-1/2" NPT suction inlet 2-1/2" NPT flanged discharge outlet	
KC01507	2-1/2" NHM male x 2-1/2" NPTM suction adapter kit w/screen	\$151.00
VB00102	2 -1/2" 1/4 turn self-locking ball valve (each)	\$833.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
4222600	30 gal. diesel fuel tank	\$1,340.00
AM00502	Battery kit (gas or small diesel)	\$495.00
AP00950	12 volt primer assembly, fluid-type (shipped loose)	\$1,620.00
AP00951	24 volt primer assembly, fluid- type (shipped loose)	\$1,620.00
AP00951	24 volt primer assembly, fluid- type (shipped loose)	\$1,620.00
AP00961	24 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
DUAL PNL DEUTZ	Dual panels Deutz engine, electric throttle. Cab panel, cab throttle and tach. No gauges included, start-stop switch	\$3,200.00
HH00212	Discharge head with up to (3)3" flanged openings or -for use with 1/4 turn ball valve	\$700.00
YE02407	90° Discharge elbow with O-Ring (use with HH00212 Discharge)	\$379.00

59 HP | DIESEL PUMPS UNDER 66 HP | TIER 3 | EXPORT ONLY

STA207	2-1/2 AGE 250 Kubota, Single Stage, Engine Driven, Centrifugal Pump	\$ 20,910.00
PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota V2403M 59HP, Turbo, 4 cycle Diesel engine, Liquid cooled Engine control panel shipped loose Aluminum gear case and plated engine adapter Stainless steel impeller shaft Heat treated alloy steel helical gears Mechanical seal 2.85:1 gear ratio 2-1/2" NPT discharge 2-1/2" NPT suction	
5200100	3/4" valve drain with nipple -Installed	\$108.00
VB00102	2 -1/2" 1/4 turn self-lockingball valve (each)	\$833.00
VR00707	3" Relief valve with 2-1/2" NPT inlet and outlet - 12 volt (shipped loose) with remote pilot	\$2,110.00
VR00708	3" Relief valve with 2-1/2" NPT inlet and outlet – 24 volt (shipped loose) with remote pilot	\$2,140.00
2803508	4" NPT suction head with 3 flange openings	\$849.00
KC01500	4" NHM x 4" NPTF brass suction- adapter kit with screen	\$300.00
KC04163	4" Victaulic suction	\$495.00
YC00600	4" NH chrome plated cap	\$312.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
AN00902	Assy - Loss of water protection	\$347.00
AP00950	12 volt primer assembly, fluid-type (shipped loose)	\$1,620.00
AP00960	12 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
AP00951	24 volt primer assembly, fluid- type (shipped loose)	\$1,620.00
AP00961	24 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
DUAL PNL KUBOTA	Dual panels for Kubota with electric throttles	\$4,720.00
HA00308	1/2" NPTheck valve (1) 2-1/2" & (2) 1-Discharge head assembly	\$434.00

Note: Standard panel will come with 6' vernier throttle and 10' harness standard

59 HP | DIESEL PUMPS UNDER 66 HP | TIER 3 | EXPORT ONLY

STH091 HSE 250K Single Stage Centrifugal, Direct Eng Mount \$ 23,140.00

PART	DESCRIPTION	UNIT PRICE
	Engine: Kubota V2403M 59HP, Turbo, 4 cycle Diesel engine, Liquid cooled, Engine control panel shipped loose Cast iron gear case and engine adapter Stainless steel shaft Heat treated alloy steel helical gears Mechanical seal 2.85:1 gear ratio 3" NPT discharge 4" NPT suction	
5200100	3/4" valve drain with nipple -Installed	\$108.00
VB00102	2 -1/2" 1/4 turn self-lockingball valve (each)	\$833.00
VR00235	2-1/2 Relief valve w/pilot-lite mtd (Remote Pilot Head)	\$1,531.93
VR00707	3" Relief valve with 2-1/2" NPT inlet and outlet - 12 volt (shipped loose) with remote pilot	\$2,110.00
VR00708	3" Relief valve with 2-1/2" NPT inlet and outlet – 24 volt (shipped loose) with remote pilot	\$2,140.00
2803508	4" NPT suction head with 3 flange openings	\$849.00
KC01500	4" NHM x 4" NPTF brass suction- adapter kit with screen	\$300.00
KC04163	4" Victaulic suction	\$495.00
YC00600	4" NH chrome plated cap	\$312.00
AP00950	12 volt primer assembly, fluid-type (shipped loose)	\$1,620.00
AP00960	12 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
VR00108	12 volt relief valve remote pilot control	\$1,050.00
AP00951	24 volt primer assembly, fluid- type (shipped loose)	\$1,620.00
AP00961	24 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
VR00111	24 volt relief valve remote pilot control	\$1,050.00
2603008	Relief valve alarm buzzer	\$65.00
4227300	Gauge - Air filter restriction- indicator	\$247.00
AN00902	Assy - Loss of water protection	\$347.00
DUAL PNL KUBOTA	Dual panels for Kubota with-electric throttles	\$4,720.00
GR RATIO ADDER	Non-standard gear ratio add-on	\$254.00
HH00201	Discharge head assembly with check valve	\$687.00

Note: Standard panel will come with 6' vernier throttle and 10' harness standard

60 HP | DIESEL PUMPS UNDER 66 HP | TIER 3 | EXPORT ONLY

STA204	2-1/2 AGE 250CM Single Stage, Engine Driven, Centrifugal Pump	\$ 21,820.00
PART	DESCRIPTION	UNIT PRICE
	Engine: Cummins B3.3 Diesel engine, 60 HP Liquid cooled, 12 volt electric starter, alternator 700 lbs (317.5 Kg) Hard anodized aluminum alloy casing Sulfuric anodized aluminum alloy gear case and plated engine adapter Bronze impeller and wear rings Stainless steel impeller shaft Heat treated alloy steel helical gears Mechanical seal Ball bearing construction Engine control panel shipped loose Tachometer Hour meter Oil pressure gauge Coolant temperature gauge Ammeter Start/stop key switch Throttle Muffler Enclosure panels 2-1/2" NPT suction inlet 2-1/2" NPT flanged discharge outlet	
KC01507	2-1/2" NHM male x 2-1/2" NPT suction adapter kit w/screen	\$151.00
VB00102	2 -1/2" 1/4 turn self-locking ball valve (each)	\$833.00
YC00047	2-1/2 NH chrome plated cap	\$54.00
4222600	30 gal. diesel fuel tank	\$1,340.00
AM00502	Battery kit (gas or small diesel)	\$495.00
AP00950	12 volt primer assembly, fluid-type (shipped loose)	\$1,620.00
AP00960	12 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
AP00951	24 volt primer assembly, fluid- type (shipped loose)	\$1,620.00
AP00961	24 volt primer assembly, fluid-less (shipped loose)	\$1,620.00
HH00212	Discharge head with up to (3)3" flanged openings or -for use with 1/4 turn ball -valve	\$700.00
	Credit for No Enclosure Panels	-\$471.00

